ADAY 113 Dark grey wall lamp
Ref. 70645

IK10 IP54





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	54
IK	10
Power (W)	2x3
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	2x225
Color temperature (K)	3000K
Light orientation	Indirect lighting
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





ADAY 113 White wall lamp
Ref. 70644

IK10 IP54





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	54
IK	10
Power (W)	2x3
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	2x279
Color temperature (K)	3000K
Light orientation	Indirect lighting
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Matt White
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





ADAY 175 Dark grey wall lamp
Ref. 70647

IK10 IP54





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	54
IK	10
Power (W)	2x6,5
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	393
Color temperature (K)	3000K
Light orientation	Indirect lighting
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





FARO
BARCELONA

ADAY 175 Dark grey wall lamp
Ref. 70647



ADAY 175 White wall lamp
Ref. 70646

IK10 IP54





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	54
IK	10
Power (W)	2x6,5
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	2x508
Color temperature (K)	3000K
Light orientation	Indirect lighting
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Matt White
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





FARO
BARCELONA

ADAY 175 White wall lamp
Ref. 70646



Document generated on 17/08/2026