AGRA 200 Brown beacon lamp 2700K
Ref. 70841

IK08 IP55





Mounting	Post
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	G
Light source	COB LED
Luminous Flux (lm)	350
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Brown
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 200 Brown beacon lamp 2700K

Ref. 70841



AGRA 200 Dark grey beacon lamp 2700K
Ref. 70840

IK08 IP55





Mounting	Post
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	G
Light source	COB LED
Luminous Flux (lm)	350
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 200 Dark grey beacon lamp 2700K

Ref. 70840



AGRA 200 Dark grey beacon lamp 3000K
Ref. 70755

IK08 IP55





Mounting	Post, Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	499
Color temperature (K)	3000K
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric






FARO
BARCELONA

AGRA 200 Dark grey beacon lamp 3000K

Ref. 70755



AGRA 200 Rust beacon lamp 3000K
Ref. 70756

IK08 IP55





Mounting	Post, Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	499
Color temperature (K)	3000K
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Brown
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 200 Rust beacon lamp 3000K
Ref. 70756



AGRA 650 Dark grey beacon lamp 2700K
Ref. 70842

IK08 IP55





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	G
Light source	COB LED
Luminous Flux (lm)	503
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 650 Dark grey beacon lamp 2700K

Ref. 70842



AGRA 650 Brown beacon lamp 2700K
Ref. 70843

IK08 IP55





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	G
Light source	COB LED
Luminous Flux (lm)	503
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Brown
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 650 Brown beacon lamp 2700K
Ref. 70843



AGRA 650 Rust beacon lamp 3000K
Ref. 70754

IK08 IP55





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	710
Color temperature (K)	3000K
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Brown
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 650 Rust beacon lamp 3000K
Ref. 70754



AGRA 650 Dark grey beacon lamp 3000K
Ref. 70753

IK08 IP55





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	55
IK	08
Power (W)	9
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	710
Color temperature (K)	3000K
CRI	>80
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Transparent

Installation instructions

Energy label

Photometric





FARO
BARCELONA

AGRA 650 Dark grey beacon lamp 3000K

Ref. 70753

