AIRE 450 pendant lamp
Ref. 20406 |HÉCTOR SERRANO


IP20




Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Cable length	3000 mm
Structure material	Steel
Shade material	Recycled PETG
Structure finish	White
Shade finish	Translucent

Installation instructions

Photometric





AIRE 450 pendant lamp
Ref. 20406 |HÉCTOR SERRANO

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 MATE LED E27 8W 2200K CRI90

Reference	17528
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	650
Color temperature (K)	2200K
Opening angle degrees	360



Bulb G95 E27 matte LED 12W 2700K CRI90 dimmable

Reference	17543
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	12
Luminous Flux (lm)	1500
Color temperature (K)	2700K
Opening angle degrees	360

AIRE 450 pendant lamp
Ref. 20406 |HÉCTOR SERRANO



AIRE 650 pendant lamp
Ref. 20407 |HÉCTOR SERRANO


IP20




Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	20
Light source	E27 LED
Bulb format	G120
Number of lamp holders	1
Light orientation	Direct
Cable length	3000 mm
Structure material	Steel
Shade material	Recycled PETG
Structure finish	White
Shade finish	Translucent

Installation instructions

Photometric





AIRE 650 pendant lamp
Ref. 20407 |HÉCTOR SERRANO

Recommended bulbs



Bulb G120 E27 19W LED 2700K

Reference	17478
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	18
Luminous Flux (lm)	1850
Color temperature (K)	2700K
Opening angle degrees	270



Bulb G120 E27 19W LED 2700K dimable

Reference	17479
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	18
Luminous Flux (lm)	1600
Color temperature (K)	2700K
Opening angle degrees	215

FARO
BARCELONA

AIRE 650 pendant lamp
Ref. 20407 |HÉCTOR SERRANO



Document generated on 17/08/2026

AIRE 850 pendant lamp
Ref. 20408 |HÉCTOR SERRANO


IP20




Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	20
Light source	E27 LED
Bulb format	G120
Number of lamp holders	1
Light orientation	Direct
Cable length	3000 mm
Structure material	Steel
Shade material	Recycled PETG
Structure finish	White
Shade finish	Translucent

Installation instructions

Photometric





AIRE 850 pendant lamp
Ref. 20408 |HÉCTOR SERRANO

Recommended bulbs



Bulb G120 E27 19W LED 2700K

Reference	17478
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	18
Luminous Flux (lm)	1850
Color temperature (K)	2700K
Opening angle degrees	270



Bulb G120 E27 19W LED 2700K dimable

Reference	17479
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	18
Luminous Flux (lm)	1600
Color temperature (K)	2700K
Opening angle degrees	215

FARO
BARCELONA

AIRE 850 pendant lamp
Ref. 20408 |HÉCTOR SERRANO

