
ALP 500 Dark grey beacon lamp
Ref. 74451

IP54





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	54
Power (W)	7
Energy class light source	E
Light source	SMD LED
Luminous Flux (lm)	502
Color temperature (K)	3000K
Opening angle degrees	180
CRI	>80
Structure material	Aluminium
Diffuser material	PC
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric






FARO
BARCELONA

ALP 500 Dark grey beacon lamp
Ref. 74451



ALP 800 Dark grey beacon lamp
Ref. 74452

IP54





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	54
Power (W)	8
Energy class light source	E
Light source	SMD LED
Luminous Flux (lm)	520
Color temperature (K)	3000K
Opening angle degrees	180
CRI	>80
Suitable for seaside areas	No
Structure material	Aluminium
Diffuser material	PC
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





FARO
BARCELONA

ALP 800 Dark grey beacon lamp
Ref. 74452



Document generated on 14/08/2026