
CATA 180 Walnut wall light
Ref. 20327 |MARINA MILA

IP20






Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	2,5
Energy class light source	E
Light source	SMD LED
Lifespan	30.000h L70 B10
Power factor	0.5
Luminous Flux (lm)	45,3
Color temperature (K)	2700K
Light orientation	Indirect lighting
Photobiological risk	0
CRI	>80
Control System	On/off
Switch type	On/Off
Cable length	1500 mm
Structure material	Walnut Wood
Shade material	Papyrus
Structure finish	Walnut
Shade finish	Beige
Included Accessory	Accesorio cable con enchufe

Installation instructions

Energy label

Photometric



FARO
BARCELONA

CATA 180 Walnut wall light
Ref. 20327 |MARINA MILA




Document generated on 21/08/2026

CATA 360 Walnut wall light
Ref. 20328 |MARINA MILA

IP20






Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	5
Energy class light source	E
Light source	SMD LED
Lifespan	30.000h L70 B10
Power factor	0.5
Luminous Flux (lm)	229
Color temperature (K)	2700K
Light orientation	Direct
Photobiological risk	1
CRI	>80
Control System	On/off
Switch type	On/Off
Cable length	1500 mm
Structure material	Walnut Wood
Shade material	Papyrus
Structure finish	Walnut
Shade finish	Beige
Included Accessory	Accesorio cable con enchufe

Installation instructions

Energy label

Photometric



CATA 360 Walnut wall light
Ref. 20328 |MARINA MILA

