
DOME S Black pendant lamp
Ref. 29916 |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Cable length	2000 mm
Structure material	Steel
Shade material	PMMA
Structure finish	Satin Black
Shade finish	Gloss White

Installation instructions



Recommended bulbs



Bulb G45 MATE LED E27 4W 2200K CRI90

Reference	17524
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	300
Color temperature (K)	2200K
Opening angle degrees	360



Bulb G45 MAT LED E27 4W 2700K 450LM

Reference	17462
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

DOME S Black pendant lamp
Ref. 29916 |FARO LAB



FARO
BARCELONA


DOME M Black pendant lamp
Ref. 29917 |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	20
Light source	E27 LED
Bulb format	G95
Number of lamp holders	1
Light orientation	Direct
Cable length	2000 mm
Structure material	Steel
Shade material	PMMA
Structure finish	Satin Black
Shade finish	Gloss White

Installation instructions



DOME M Black pendant lamp
Ref. 29917 |FARO LAB

Recommended bulbs



Bulb G95 E27 matte led 12W 2200K CRI90 dimmable

Reference	17542
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	12
Luminous Flux (lm)	1200
Color temperature (K)	2200K
Opening angle degrees	360

FARO
BARCELONA

DOME M Black pendant lamp
Ref. 29917 |FARO LAB

