
DOME Wall lamp black
Ref. 29910 |FARO LAB

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Structure material	Aluminium
Shade material	PMMA
Structure finish	Satin Black
Shade finish	Gloss White

Installation instructions



Recommended bulbs



Bulb G45 MATE LED E27 4W 2200K CRI90

Reference	17524
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	300
Color temperature (K)	2200K
Opening angle degrees	360



Bulb G45 MAT LED E27 4W 2700K 450LM

Reference	17462
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

DOME Wall lamp black
Ref. 29910 |FARO LAB




DOME Wall lamp black with LED reader

Ref. 29911 |FARO LAB

IP20






Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Energy class light source	G
Light source	E27 LED
Bulb format	G45
Number of lamp holders	1
Lifespan	50.000h L80 B10
Power factor	0.47
Light orientation	Direct
Tilt angles	90
Rotation angles 2	355
Photobiological risk	1
Power reader (W)	3
Color temperature reading light (K)	2700K
Reading light lumens (lm)	213
Reading light beam angle	34
CRI	98
Supply current	160 mA
Switch type	On/Off
Structure material	Aluminium
Shade material	PMMA
Structure finish	Satin Black
Shade finish	Gloss White
Reader finish	Satin Black

Installation instructions

Energy label

Photometric



DOME Wall lamp black with LED reader
Ref. 29911 |FARO LAB

Recommended bulbs



Bulb G45 MATE LED E27 4W 2200K CRI90

Reference	17524
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	300
Color temperature (K)	2200K
Opening angle degrees	360



Bulb G45 MAT LED E27 4W 2700K 450LM

Reference	17462
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

DOME Wall lamp black with LED reader
Ref. 29911 |FARO LAB



DOME Wall lamp with adjustable arm black


Ref. 29912 |FARO LAB



IP20

Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	150
Switch type	On/Off
Structure material	Steel
Shade material	PMMA
Structure finish	Satin Black
Shade finish	Gloss White

Installation instructions



DOME Wall lamp with adjustable arm black
Ref. 29912 |FARO LAB

Recommended bulbs



Bulb G45 MATE LED E27 4W 2200K CRI90

Reference	17524
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	300
Color temperature (K)	2200K
Opening angle degrees	360



Bulb G45 MAT LED E27 4W 2700K 450LM

Reference	17462
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

DOME Wall lamp with adjustable arm black
Ref. 29912 |FARO LAB

