MATILDA White wall lamp mobile


Ref. 20508-136 |FARO LAB

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Switch type	On/Off
Cable length	2000 mm
Structure material	Steel
Shade material	Steel
Structure finish	Beige
RAL/Pantone structure	RAL 1015
Shade finish	Beige

Installation instructions



MATILDA White wall lamp mobile
Ref. 20508-136 |FARO LAB


Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

MATILDA White wall lamp mobile
Ref. 20508-136 |FARO LAB



MATILDA Black wall lamp mobile


Ref. 20509-137 |FARO LAB

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Switch type	On/Off
Cable length	2000 mm
Structure material	Steel
Shade material	Steel
Structure finish	Black
RAL/Pantone structure	RAL 9011
Shade finish	Black

Installation instructions



Recommended bulbs




Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360


MATILDA Burgandy wall lamp
Ref. 20510-138 |FARO LAB

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Switch type	On/Off
Cable length	2000 mm
Structure material	Steel
Shade material	Steel
Structure finish	Garnet
RAL/Pantone structure	RAL 3004
Shade finish	Garnet

Installation instructions



MATILDA Burgandy wall lamp
Ref. 20510-138 |FARO LAB

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

MATILDA Burgandy wall lamp
Ref. 20510-138 |FARO LAB

