
MATILDA Beige table lamp
Ref. 20512-136 |FARO LAB

IP20



Mounting	Table
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Suitable for seaside areas	No
Switch type	On/Off
Cable length	2500 mm
Structure material	Steel
Shade material	Steel
Structure finish	Beige
RAL/Pantone structure	RAL 1015
Shade finish	Beige

Installation instructions



Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

MATILDA Beige table lamp
Ref. 20512-136 |FARO LAB




MATILDA Black table lamp
Ref. 20513-137 |FARO LAB

IP20



Mounting	Table
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Suitable for seaside areas	No
Switch type	On/Off
Cable length	2500 mm
Structure material	Steel
Shade material	Steel
Structure finish	Black
RAL/Pantone structure	RAL 9011
Shade finish	Black

Installation instructions



Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

MATILDA Black table lamp
Ref. 20513-137 |FARO LAB



Document generated on 27/08/2026

MATILDA Burgandy table lamp


Ref. 20514-138 |FARO LAB

IP20



Mounting	Table
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	360
Suitable for seaside areas	No
Switch type	On/Off
Cable length	2500 mm
Structure material	Steel
Shade material	Steel
Structure finish	Garnet
RAL/Pantone structure	RAL 3004
Shade finish	Garnet

Installation instructions



Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

MATILDA Burgandy table lamp
Ref. 20514-138 |FARO LAB



Document generated on 27/08/2026