

STUDIO Black floor lamp
Ref. 28254 |NAHTRANG

IP20



Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Cable length	2300 mm
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Black

Installation instructions



Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories





TIDER Black cable management accessory

Reference	20546
Structure material	TPU

STUDIO green floor lamp
Ref. 28256 |NAHTRANG

IP20





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Cable length	2300 mm
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Green

Installation instructions

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories




TIDER Black cable management accessory


Reference	20546
Structure material	TPU

FARO
BARCELONA

STUDIO White floor lamp
Ref. 28255 |NAHTRANG

IP20





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Cable length	2300 mm
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt White

Installation instructions

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU


STUDIO Pink floor lamp
Ref. 28272 |NAHTRANG

IP20



Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Cable length	2300 mm
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Pink

Installation instructions



STUDIO Pink floor lamp
Ref. 28272 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

FARO
BARCELONA

STUDIO Pink floor lamp
Ref. 28272 |NAHTRANG




Document generated on 27/08/2026

STUDIO Blue floor lamp
Ref. 28271 |NAHTRANG

IP20





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Cable length	2300 mm
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Blue

Installation instructions

STUDIO Blue floor lamp
Ref. 28271 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU