FARO
BARCELONA


STUDIO White wall lamp
Ref. 28258 |NAHTRANG

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt White

Installation instructions



STUDIO White wall lamp
Ref. 28258 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

FARO
BARCELONA


STUDIO green wall lamp
Ref. 28259 |NAHTRANG

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Green

Installation instructions



STUDIO green wall lamp
Ref. 28259 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

FARO
BARCELONA


STUDIO White wall lamp blue
Ref. 28274 |NAHTRANG

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Blue

Installation instructions



STUDIO White wall lamp blue
Ref. 28274 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

STUDIO White wall lamp blue
Ref. 28274 |NAHTRANG



FARO
BARCELONA


STUDIO Black wall lamp
Ref. 28257 |NAHTRANG

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Black

Installation instructions



STUDIO Black wall lamp
Ref. 28257 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360

STUDIO Black wall lamp
Ref. 28257 |NAHTRANG




STUDIO Pink wall lamp
Ref. 28275 |NAHTRANG

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	8
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Direct
Rotation angles 2	355
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Matt Black
RAL/Pantone structure	RAL 9011
Shade finish	Matt Pink

Installation instructions



STUDIO Pink wall lamp
Ref. 28275 |NAHTRANG

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360