WINCHE M LED Black/brown fan 3000K IP44

Ref. 33481-7 |CONILLAS



Mounting	Ceiling
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	44
Power (W)	15
Energy class light source	E
Light source	SMD LED
Luminous Flux (lm)	800
Color temperature (K)	3000K
CRI	>80
Structure material	Steel
Diffuser material	ABS
Blade material (fan blades)	ABS
Structure finish	Matt Black
Diffuser finish	Opal
Blade finish	Dark Brown
Motor type	DC
Fan power (W)	3-5-8-12-21-35
RPM	50-71-93-115-138-162
Airflow (m³/min)	183
Sound intensity (dBA)	32-33-34-37-42-46
Number of blades	4
Maximum tilt (º)	15
Type of control included	Remote control
Rod diameter	21
Optional rod model	Winche


Installation instructions


Energy label

Photometric

Measurements

Surface
M
A: 390/15.35" **A1:** 355/13.98" **F:** ø1270/50"





WINCHE M LED Black/brown fan 3000K IP44
Ref. 33481-7 |CONILLAS



FARO
BARCELONA

WINCHE M Black/brown fan IP44

Ref. 33481 |CONILLAS




IP44

Mounting	Ceiling
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	44
Structure material	Steel
Blade material (fan blades)	ABS
Structure finish	Matt Black
Blade finish	Dark Brown
Motor type	DC
Fan power (W)	3-5-8-12-21-35
RPM	50-71-93-115-138-162
Airflow (m^3/min)	183
Sound intensity (dBA)	32-33-34-37-42-46
Number of blades	4
Maximum tilt (º)	15
Type of control included	Remote control
Rod diameter	21
Optional rod model	Winche

Installation instructions

Measurements

Surface	
M	
A: 390/15.35"	**A1:** 355/13.98" **F:** ø1270/50"



WINCHE M Black/brown fan IP44
Ref. 33481 |CONILLAS

