ANGA 240 Dark grey ceiling lamp
Ref. 72353

IK03 IP44





Mounting	Ceiling
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	44
IK	03
Power (W)	18
Energy class light source	E
Light source	SMD LED
Luminous Flux (lm)	1174
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Concrete
Diffuser material	PMMA
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





FARO
BARCELONA

ANGA 240 Dark grey ceiling lamp
Ref. 72353



ANGA 295 Dark grey ceiling lamp
Ref. 72355

IK03 IP44





Mounting	Ceiling
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	44
IK	03
Power (W)	24
Energy class light source	E
Light source	SMD LED
Luminous Flux (lm)	1794
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	No
Structure material	Concrete
Diffuser material	PMMA
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





ANGA 295 Dark grey ceiling lamp
Ref. 72355