
ART 3L Black pendant lamp
Ref. 64135-3l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	3
Structure material	Steel
Structure finish	Black

Installation instructions



ART 3L Black pendant lamp
Ref. 64135-3l

Recommended bulbs



Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360


ART 3L Old gold pendant lamp
Ref. 64137-3l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	3
Structure material	Steel
Structure finish	Old Gold

Installation instructions



ART 3L Old gold pendant lamp
Ref. 64137-3l

Recommended bulbs




Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

ART 5L Black pendant lamp
Ref. 64135-5l





Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	5
Structure material	Steel
Structure finish	Black

Installation instructions

ART 5L Black pendant lamp
Ref. 64135-5l

Recommended bulbs



Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360


ART 5L Old gold pendant lamp
Ref. 64137-5l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	5
Structure material	Steel
Structure finish	Old Gold

Installation instructions



ART 5L Old gold pendant lamp
Ref. 64137-5l

Recommended bulbs



Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

FARO
BARCELONA


ART 7L Black pendant lamp
Ref. 64135-7l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	7
Structure material	Steel
Structure finish	Black

Installation instructions



ART 7L Black pendant lamp
Ref. 64135-7l

Recommended bulbs



Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360


ART 7L Old gold pendant lamp
Ref. 64137-7l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	7
Structure material	Steel
Structure finish	Old Gold

Installation instructions



ART 7L Old gold pendant lamp
Ref. 64137-7l

Recommended bulbs



Bulb GLOBE FILAMENT LED AMBER E27 4W 2200K Ø125

Reference	17425
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360