ARTIS Chrome/white wall lamp with reader

Ref. 68493-01 |ALEX & MANEL LLUSCÀ


IP20




Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Power reader (W)	1
Color temperature reading light (K)	3000K
Reading light lumens (lm)	75
Reading light beam angle	18
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Chrome
Shade finish	White

Installation instructions

Photometric





ARTIS Chrome/white wall lamp with reader

Ref. 68493-01 |ALEX & MANEL LLUSCÀ

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

ARTIS Chrome/black wall lamp with reader

Ref. 68493-03 |ALEX & MANEL LLUSCÀ


IP20




Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Power reader (W)	1
Color temperature reading light (K)	3000K
Reading light lumens (lm)	75
Reading light beam angle	18
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Chrome
Shade finish	Black

Installation instructions

Photometric





ARTIS Chrome/black wall lamp with reader
Ref. 68493-03 |ALEX & MANEL LLUSCÀ

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

ARTIS Chrome/beige wall lamp with reader

Ref. 68493-02 |ALEX & MANEL LLUSCÀ


IP20




Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Power reader (W)	1
Color temperature reading light (K)	3000K
Reading light lumens (lm)	75
Reading light beam angle	18
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Chrome
Shade finish	Beige

Installation instructions

Photometric





ARTIS Chrome/beige wall lamp with reader

Ref. 68493-02 |ALEX & MANEL LLUSCÀ

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360