CADAQUÉS Blue floor lamp
Ref. 71243 |FARO LAB

IP44





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	44
Power (W)	18
Energy class light source	D
Light source	SMD LED
Luminous Flux (lm)	500
Color temperature (K)	2700K
Light orientation	Indirect lighting
CRI	>80
Cable length	3000 mm
Structure material	Aluminium
Shade material	Textilene
Diffuser material	PC
Structure finish	Dark Grey
Shade finish	Blue
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

CADAQUÉS Blue floor lamp
Ref. 71243 |FARO LAB



Document generated on 03/09/2026

CADAQUÉS Beige floor lamp
Ref. 71242 |FARO LAB

IP44





Mounting	Floor
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	44
Power (W)	18
Energy class light source	D
Light source	SMD LED
Luminous Flux (lm)	286
Color temperature (K)	2700K
Light orientation	Indirect lighting
CRI	>80
Cable length	3000 mm
Structure material	Aluminium
Shade material	Textilene
Diffuser material	PC
Structure finish	Dark Grey
Shade finish	Beige
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

CADAQUÉS Beige floor lamp
Ref. 71242 |FARO LAB

