
CLAIRE Black pendant lamp
Ref. 62802

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Cable length	1400 mm
Structure material	Steel
Shade material	Steel
Structure finish	Gloss Black
Shade finish	Gloss Black

Installation instructions



CLAIRE Black pendant lamp
Ref. 62802

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

Related accessories



KIT track adapter / connector for suspension white

Reference	01997001
Voltage (V)	100V-240V
Hertz	50/60Hz
IP	20
Structure material	PC



KIT track adapter /connector for suspension black

Reference	01997002
Voltage (V)	100V-240V
Hertz	50/60Hz
IP	20
Structure material	PC


CLAIRE Green pendant lamp
Ref. 62803

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Cable length	1400 mm
Structure material	Steel
Shade material	Steel
Structure finish	Gloss Black
Shade finish	Gloss Green

Installation instructions



CLAIRE Green pendant lamp
Ref. 62803

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

Related accessories



KIT track adapter / connector for suspension white

Reference	01997001
Voltage (V)	100V-240V
Hertz	50/60Hz
IP	20
Structure material	PC




KIT track adapter /connector for suspension black

Reference	01997002
Voltage (V)	100V-240V
Hertz	50/60Hz
IP	20
Structure material	PC

CLAIRE 3L Green pendant lamp

Ref. 62803-3l





Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	3
Structure material	Steel
Structure finish	Gloss Green

Installation instructions

FARO
BARCELONA

CLAIRE 3L Green pendant lamp
Ref. 62803-3l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

FARO
BARCELONA


CLAIRE 3L Black pendant lamp
Ref. 62802-3l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	3
Structure material	Steel
Structure finish	Gloss Black

Installation instructions



FARO
BARCELONA

CLAIRE 3L Black pendant lamp
Ref. 62802-3l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K


Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

CLAIRE 5L Black pendant lamp
Ref. 62802-5l



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	5
Structure material	Steel
Structure finish	Gloss Black

Installation instructions



FARO
BARCELONA

CLAIRE 5L Black pendant lamp
Ref. 62802-5l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

CLAIRE 5L Green pendant lamp


Ref. 62803-5l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	5
Structure material	Steel
Structure finish	Gloss Green

Installation instructions



FARO
BARCELONA

CLAIRE 5L Green pendant lamp
Ref. 62803-5l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360


CLAIRE 7L Black pendant lamp
Ref. 62802-7l

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	7
Structure material	Steel
Structure finish	Gloss Black

Installation instructions



FARO
BARCELONA

CLAIRE 7L Black pendant lamp
Ref. 62802-7l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K


Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360

CLAIRE 7L Green pendant lamp
Ref. 62803-7l



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	7
Structure material	Steel
Structure finish	Gloss Green

Installation instructions



FARO
BARCELONA

CLAIRE 7L Green pendant lamp
Ref. 62803-7l

Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

Reference	17426
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2200K
Opening angle degrees	360