CLICK White recessed lamp
Ref. 43600

IP20





Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	3,2
Energy class light source	G
Light source	SMD LED
Luminous Flux (lm)	196
Color temperature (K)	2700K
Tilt angles	90
Rotation angles 2	355
CRI	85
Supply current	700 mA
Structure material	Aluminium
Diffuser material	PC
Structure finish	Matt White
Diffuser finish	Transparent
Cut-out Size for Recessed Mount	79x48

Installation instructions

Energy label

Photometric





FARO
BARCELONA

CLICK White recessed lamp
Ref. 43600



Document generated on 15/09/2026

CLICK Black recessed lamp
Ref. 43601

IP20





Mounting	Wall
Voltage (V)	100V-240V
Class	II
IP	20
Power (W)	3,3
Energy class light source	G
Light source	SMD LED
Luminous Flux (lm)	196
Color temperature (K)	2700K
Tilt angles	90
Rotation angles 2	355
CRI	85
Supply current	700 mA
Structure material	Aluminium
Diffuser material	PC
Structure finish	Matt Black
Diffuser finish	Transparent
Cut-out Size for Recessed Mount	79x48

Installation instructions

Energy label

Photometric





FARO
BARCELONA

CLICK Black recessed lamp
Ref. 43601

