
CONFETTI 300 pendant lamp recycled marmoreal ø30cm

Ref. 68600-50 |NUTCREATIVES

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Suitable for seaside areas	No
Cable length	1500 mm
Structure material	Aluminium
Shade material	Recycled PET
Structure finish	Matt Black
Shade finish	White & Black



CONFETTI 300 pendant lamp recycled marmoreal ø30cm
Ref. 68600-50 |NUTCREATIVES

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 Decorative black E27 4W 2700K

Reference	17071
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

CONFETTI 300 pendant lamp recycled marmoreal ø30cm
Ref. 68600-50 |NUTCREATIVES




CONFETTI 450 pendant lamp recycled marmoreal

Ref. 68600-51 |NUTCREATIVES

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Suitable for seaside areas	No
Cable length	1500 mm
Structure material	Aluminium
Shade material	Recycled PET
Structure finish	Matt Black
Shade finish	White & Black



Recommended bulbs



Bulb G95 MAT LED E27 8W 2700K 800Lm

Reference	17464
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb G95 Decorative black E27 4W 2700K DIMMABLE

Reference	17072
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	2700K
Opening angle degrees	360

CONFETTI 450 pendant lamp recycled marmoreal
Ref. 68600-51 |NUTCREATIVES

