FOLD White wall lamp with reader
Ref. 64304 |NUTCREATIVES

IP20





Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Energy class light source	G
Light source	E27 LED
Number of lamp holders	1
Power reader (W)	3
Color temperature reading light (K)	3000K
Reading light lumens (lm)	196
Reading light beam angle	36
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Matt White
Shade finish	White

Installation instructions

Energy label

Photometric





FARO BARCELONA

FOLD White wall lamp with reader
Ref. 64304 |NUTCREATIVES

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

FOLD White wall lamp with reader
Ref. 64304 |NUTCREATIVES



FOLD Black wall lamp with reader
Ref. 64305 |NUTCREATIVES

IP20





Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	15
Energy class light source	G
Light source	E27 LED
Number of lamp holders	1
Power reader (W)	3
Color temperature reading light (K)	3000K
Reading light lumens (lm)	196
Reading light beam angle	36
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Matt Black
Shade finish	Black

Installation instructions

Energy label

Photometric





Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360