GAIA Grey beacon lamp
Ref. 75563 |YEMBARASTUDIO

IK06 IP55





Mounting	Floor
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	55
IK	06
Power (W)	6
Energy class light source	E
Light source	SMD LED
Power factor	0.9
Luminous Flux (lm)	214
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	Yes
Supply current	200 mA
Structure material	Concrete
Structure finish	Grey
Other functionalities	Includes IP68 connector

Installation instructions

Energy label

Photometric





GAIA Grey beacon lamp
Ref. 75563 |YEMBARASTUDIO



GAIA Beige beacon lamp
Ref. 75564 |YEMBARASTUDIO

IK06 IP55





Mounting	Floor
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	55
IK	06
Power (W)	6
Energy class light source	E
Light source	SMD LED
Power factor	0.9
Luminous Flux (lm)	214
Color temperature (K)	2700K
CRI	>80
Suitable for seaside areas	Yes
Supply current	200 mA
Structure material	Concrete
Structure finish	Beige
Other functionalities	Includes IP68 connector

Installation instructions

Energy label

Photometric





GAIA Beige beacon lamp
Ref. 75564 |YEMBARASTUDIO

