

# HAKA 250 Black/rattan pendant lamp

Ref. 65134-73 |FARO LAB

IP20



| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | I |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 2000 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Black |
| Shade finish | Rattan |



# HAKA 250 Black/rattan pendant lamp
Ref. 65134-73 |FARO LAB

## Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

| | |
|---|---|
| Reference | 17426 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 4 |
| Luminous Flux (lm) | 400 |
| Color temperature (K) | 2200K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |


**HAKA 250 Black/rattan pendant lamp**
Ref. 65134-73 |FARO LAB




# HAKA 300 Black/rattan pendant lamp

Ref. 65134-74 |FARO LAB

IP20






| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | I |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 2000 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Black |
| Shade finish | Rattan |

# HAKA 300 Black/rattan pendant lamp
Ref. 65134-74 |FARO LAB

## Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

| | |
|---|---|
| Reference | 17426 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 4 |
| Luminous Flux (lm) | 400 |
| Color temperature (K) | 2200K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |

**HAKA 300 Black/rattan pendant lamp**
Ref. 65134-74 |FARO LAB




FARO
BARCELONA

# HAKA 530 Black/rattan pendant lamp
Ref. 65134-75 |FARO LAB

IP20






| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | I |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 2000 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Black |
| Shade finish | Rattan |

# HAKA 530 Black/rattan pendant lamp
Ref. 65134-75 |FARO LAB

## Recommended bulbs



Bulb ESPHERICAL FILAMENT LED E27 4W 2700K

| | |
|---|---|
| Reference | 17426 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 4 |
| Luminous Flux (lm) | 400 |
| Color temperature (K) | 2200K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |

**HAKA 530 Black/rattan pendant lamp**
Ref. 65134-75 |FARO LAB

