INVITING Yellow clip lamp
Ref. 57317 |BOHMAN AND FOLENUS

IP20





Mounting	Clip-on
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	6
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	586
Color temperature (K)	2700-4800K
Rotation angles 1	180
Tilt angles	90
Rotation angles 2	90
CRI	>80
Switch type	Slider
Cable length	1900 mm
Structure material	Aluminium
Diffuser material	PMMA
Structure finish	Yellow
Diffuser finish	Transparent


Installation instructions

Energy label

Photometric







INVITING Black clip lamp
Ref. 57316 |BOHMAN AND FOLENUS

IP20





Mounting	Clip-on
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	6
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	586
Color temperature (K)	2700-4800K
Rotation angles 1	180
Tilt angles	90
Rotation angles 2	90
CRI	>80
Switch type	Slider
Cable length	1900 mm
Structure material	Aluminium
Diffuser material	PMMA
Structure finish	Matt Black
Diffuser finish	Transparent


Installation instructions

Energy label

Photometric







INVITING White clip lamp
Ref. 57315 |BOHMAN AND FOLENUS

IP20





Mounting	Clip-on
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	6
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	586
Color temperature (K)	2700-4800K
Rotation angles 1	180
Tilt angles	90
Rotation angles 2	90
CRI	>80
Switch type	Slider
Cable length	1900 mm
Structure material	Aluminium
Diffuser material	PMMA
Structure finish	Matt White
Diffuser finish	Transparent


Installation instructions

Energy label

Photometric







INVITING White clip lamp
Ref. 57315 |BOHMAN AND FOLENUS

