
KAPPU 158 White wall lamp

Ref. 63428 |FARO LAB





IP20

Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	7
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Indirect lighting
Structure material	Plaster
Structure finish	White

Installation instructions

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360



Bulb G45 MATE LED E14 4W 3000K CRI90

Reference	17527
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	3000K
Opening angle degrees	360

KAPPU 158 White wall lamp
Ref. 63428 |FARO LAB



Document generated on 30/09/2026


KAPPU 250 White wall lamp
Ref. 63429 |FARO LAB

IP20



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	7
Light source	E14 LED
Bulb format	G45
Number of lamp holders	1
Light orientation	Indirect lighting
Structure material	Plaster
Structure finish	White

Installation instructions



KAPPU 250 White wall lamp
Ref. 63429 |FARO LAB

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm


Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360




Bulb G45 MATE LED E14 4W 3000K CRI90

Reference	17527
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	3000K
Opening angle degrees	360

KAPPU 300 White wall lamp
Ref. 63430 |FARO LAB





IP20

Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	7
Light source	E14 LED
Bulb format	G45
Number of lamp holders	2
Light orientation	Indirect lighting
Structure material	Plaster
Structure finish	White

Installation instructions

KAPPU 300 White wall lamp
Ref. 63430 |FARO LAB

Recommended bulbs



Mat Bulb G45 LED E14 4W 2700K 450Lm

Reference	17461
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	390
Color temperature (K)	2700K
Opening angle degrees	360



Bulb G45 MATE LED E14 4W 3000K CRI90

Reference	17527
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	400
Color temperature (K)	3000K
Opening angle degrees	360

KAPPU 300 White wall lamp
Ref. 63430 |FARO LAB

