LOOP Ash tree wall lamp
Ref. 29395 |ESTUDI RIBAUDI

IP20





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	6
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	221
Color temperature (K)	2700K
Rotation angles 2	355
CRI	>80
Switch type	Touch
Structure material	Steel
Shade material	Wood
Diffuser material	PMMA
Structure finish	Matt Black
Shade finish	Ash Wood
Diffuser finish	Translucent

Installation instructions

Energy label

Photometric





LOOP Black wall lamp
Ref. 29565 |ESTUDI RIBAUDI

IP20





Mounting	Wall
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	6
Energy class light source	F
Light source	SMD LED
Luminous Flux (lm)	221
Color temperature (K)	2700K
Rotation angles 2	355
CRI	>80
Switch type	Touch
Structure material	Steel
Shade material	Wood
Diffuser material	PMMA
Structure finish	Matt Black
Shade finish	Cherry Wood
Diffuser finish	Translucent

Installation instructions

Energy label

Photometric





LOOP Black wall lamp
Ref. 29565 |ESTUDI RIBAUDI

