NOK 44 Matt nickel recessed lamp swimming pool

Ref. 70443

IK06 IP68 III





Mounting	Submersible
Voltage (V)	24VDC
Class	III
IP	68
IK	06
Power (W)	3
Energy class light source	G
Light source	SMD LED
Luminous Flux (lm)	196
Color temperature (K)	4000K
Opening angle degrees	30
CRI	>80
Suitable for seaside areas	No
Recommended driver On/Off	98324026
Structure material	Stainless Steel 316L
Diffuser material	Glass
Structure finish	Satin Stainless
Diffuser finish	Transparent
Cut-out Size for Recessed Mount	ø234
Includes recessed box	Yes
Other functionalities	Submersible

Installation instructions

Energy label

Photometric





NOK 44 Matt nickel recessed lamp swimming pool
Ref. 70443

Recommended Drivers



Power supply 24VDC 24W 24vdc 220-240V LINEAL IP67

Reference	98324026
IP	67
Control System	on/off

NOK 44 Matt nickel recessed lamp swimming pool
Ref. 70443



NOK 68 Matt nickel recessed lamp swimming pool

Ref. 70444

IK08 IP68 III





Mounting	Submersible
Voltage (V)	24VDC
Class	III
IP	68
IK	08
Power (W)	5
Energy class light source	G
Light source	SMD LED
Luminous Flux (lm)	348
Color temperature (K)	4000K
Opening angle degrees	30
CRI	>80
Suitable for seaside areas	No
Recommended driver On/Off	98324026
Structure material	Stainless Steel 316L
Diffuser material	Glass
Structure finish	Satin Stainless
Diffuser finish	Transparent
Cut-out Size for Recessed Mount	ø230
Includes recessed box	Yes
Other functionalities	Submersible

Installation instructions

Energy label

Photometric





NOK 68 Matt nickel recessed lamp swimming pool
Ref. 70444

Recommended Drivers



Power supply 24VDC 24W 24vdc 220-240V LINEAL IP67

Reference	98324026
IP	67
Control System	on/off