
PALS White wall lamp
Ref. 70290 |FARO LAB

IK06 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	06
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Matt White
Diffuser finish	Opal

Installation instructions



PALS White wall lamp
Ref. 70290 |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

PALS White wall lamp
Ref. 70290 |FARO LAB




PALS Dark grey wall lamp
Ref. 70291 |FARO LAB

IK06 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	06
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions



PALS Dark grey wall lamp
Ref. 70291 |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

PALS Dark grey wall lamp
Ref. 70291 |FARO LAB

