SPY 145 Dark grey spike lamp
Ref. 70787

IK05 IP65





Mounting	Floor
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	05
Power (W)	6
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	395
Color temperature (K)	3000K
Opening angle degrees	30
Rotation angles 2	355
Suitable for seaside areas	No
Supply current	700 mA
Cable length	2000 mm
Structure material	Aluminium + PC
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





FARO
BARCELONA

SPY 145 Dark grey spike lamp
Ref. 70787



SPY 435 Dark grey spike lamp
Ref. 70788

IK05 IP65





Mounting	Floor
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	05
Power (W)	6
Energy class light source	E
Light source	COB LED
Luminous Flux (lm)	395
Color temperature (K)	3000K
Opening angle degrees	30
Rotation angles 2	355
Suitable for seaside areas	No
Supply current	700 mA
Cable length	2000 mm
Structure material	Aluminium + PC
Diffuser material	Glass
Structure finish	Dark Grey
Diffuser finish	Opal

Installation instructions

Energy label

Photometric





SPY 435 Dark grey spike lamp
Ref. 70788

