
DOMINICA Beige reader lamp
Ref. 20032-122 |FARO LAB

IP20






Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	1
Energy class light source	E
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Lifespan	40.000h
Power factor	0.5
Luminous Flux (lm)	83
Opening angle degrees	60
Light orientation	Direct
Photobiological risk	2
Power reader (W)	1
Color temperature reading light (K)	3000K
Reading light lumens (lm)	106
Reading light beam angle	36
CRI	80
Supply current	250 mA
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Black
RAL/Pantone structure	RAL 9011
Shade finish	Beige
Reader finish	Black

Installation instructions

Energy label

Photometric



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360




Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

DOMINICA Black reader lamp
Ref. 20032-123 |FARO LAB

IP20






Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	1
Energy class light source	E
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Lifespan	40.000h
Power factor	0.5
Luminous Flux (lm)	83
Opening angle degrees	60
Light orientation	Direct
Photobiological risk	2
Power reader (W)	1
Color temperature reading light (K)	3000K
Reading light lumens (lm)	106
Reading light beam angle	36
CRI	80
Supply current	250 mA
Switch type	On/Off
Structure material	Steel
Shade material	Steel
Structure finish	Black
RAL/Pantone structure	RAL 9011
Shade finish	Black
Reader finish	Black

Installation instructions

Energy label

Photometric



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360