FARO
BARCELONA


DRUM Black/beige table lamp
Ref. 24020-31 |NAHTRANG

IP20



Mounting	Table
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Switch type	On/Off
Cable length	1800 mm
Structure material	Steel
Shade material	Textile
Diffuser material	PC
Structure finish	Matt Black
Shade finish	Beige
Diffuser finish	Opal

Installation instructions



DRUM Black/beige table lamp
Ref. 24020-31 |NAHTRANG

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

FARO
BARCELONA

DRUM Black/beige table lamp
Ref. 24020-31 |NAHTRANG



FARO
BARCELONA


DRUM Black/grey table lamp
Ref. 24020-32 |NAHTRANG

IP20



Mounting	Table
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Number of lamp holders	1
Switch type	On/Off
Cable length	1800 mm
Structure material	Steel
Shade material	Textile
Diffuser material	PC
Structure finish	Matt Black
Shade finish	Dark Grey
Diffuser finish	Opal

Installation instructions



DRUM Black/grey table lamp
Ref. 24020-32 |NAHTRANG

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

Related accessories



TIDER Black cable management accessory

Reference	20546
Structure material	TPU

FARO
BARCELONA

DRUM Black/grey table lamp
Ref. 24020-32 |NAHTRANG



Document generated on 05/10/2026