ESTELA Black wall light 1xGU10


Ref. 70322

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	1
Light orientation	Direct
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Black
Diffuser finish	Transparent

Installation instructions



ESTELA Black wall light 1xGU10
Ref. 70322

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60

ESTELA White wall light 1xGU10


Ref. 70323

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	1
Light orientation	Direct
Structure material	Aluminium
Diffuser material	Glass
Structure finish	White
Diffuser finish	Transparent

Installation instructions



ESTELA White wall light 1xGU10
Ref. 70323

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60

ESTELA Brown rust wall light 1xGU10


Ref. 70324

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	1
Light orientation	Direct
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Rust Brown
Diffuser finish	Transparent

Installation instructions



ESTELA Brown rust wall light 1xGU10

Ref. 70324

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60

ESTELA Black wall light 2xGU10


Ref. 70327

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	2
Light orientation	Direct-Indirect
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Black
Diffuser finish	Transparent

Installation instructions



ESTELA Black wall light 2xGU10
Ref. 70327

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60

FARO
BARCELONA

ESTELA Black wall light 2xGU10
Ref. 70327



Document generated on 21/10/2026

ESTELA White wall light 2xGU10


Ref. 70328

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	2
Light orientation	Direct-Indirect
Structure material	Aluminium
Diffuser material	Glass
Structure finish	White
Diffuser finish	Transparent

Installation instructions



ESTELA White wall light 2xGU10
Ref. 70328

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60

ESTELA Brown rust wall light 2xGU10


Ref. 70329

IK07 IP65



Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	65
IK	07
Power (W)	5
Light source	GU10 LED
Number of lamp holders	2
Light orientation	Direct-Indirect
Structure material	Aluminium
Diffuser material	Glass
Structure finish	Rust Brown
Diffuser finish	Transparent

Installation instructions



ESTELA Brown rust wall light 2xGU10

Ref. 70329

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° black

Reference	17334
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	505
Color temperature (K)	2700K
Opening angle degrees	60