LENA White clip lamp
Ref. 52059

IP20





Mounting	Clip-on
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	3
Energy class light source	G
Light source	SMD LED
Power factor	0.61
Luminous Flux (lm)	296
Color temperature (K)	4000K
Power and lm of intensities (w/lm)	1/40-2/144-4/296 W/lm
Opening angle degrees	85
Light orientation	Direct
Tilt angles	270
Rotation angles 2	360
Photobiological risk	2
UGR	16
CRI	>80
Control System	On/off
Supply current	300 mA
Switch type	Touch
Cable length	1800 mm
Structure material	PC + Aluminium
Diffuser material	PMMA
Structure finish	Matt White
Diffuser finish	Translucent
Included Accessory	cargador

Installation instructions

Energy label

Photometric






LENA Black clip lamp
Ref. 52061

IP20






Mounting	Clip-on
Voltage (V)	220V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	3
Energy class light source	G
Light source	SMD LED
Power factor	0.61
Luminous Flux (lm)	296
Color temperature (K)	4000K
Power and lm of intensities (w/lm)	1/40-2/144-4/296 W/lm
Opening angle degrees	85
Light orientation	Direct
Tilt angles	270
Rotation angles 2	360
Photobiological risk	2
UGR	16
CRI	>80
Control System	On/off
Supply current	300 mA
Switch type	Touch
Cable length	1800 mm
Structure material	PC + Aluminium
Diffuser material	PMMA
Structure finish	Matt Black
Diffuser finish	Translucent
Included Accessory	cargador

Installation instructions

Energy label

Photometric



LENA Black clip lamp
Ref. 52061