MAMBO 210 3L Black/rattan pendant lamp


Ref. 64314-47-3I |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	3
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 210 5L Black/rattan pendant lamp


Ref. 64314-47-5l |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	5
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



MAMBO 210 5L Black/rattan pendant lamp
Ref. 64314-47-5l |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 210 7L Black/rattan pendant lamp


Ref. 64314-47-7I |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	7
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



MAMBO 210 7L Black/rattan pendant lamp
Ref. 64314-47-7I |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI


Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 320 3L Black/rattan pendant lamp

Ref. 64314-48-3I |FARO LAB

IP20





Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	3
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions

MAMBO 320 3L Black/rattan pendant lamp
Ref. 64314-48-3l |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 320 5L Black/rattan pendant lamp


Ref. 64314-48-5I |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	5
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



MAMBO 320 5L Black/rattan pendant lamp
Ref. 64314-48-5l |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 320 7L Black/rattan pendant lamp


Ref. 64314-48-7I |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	7
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



MAMBO 320 7L Black/rattan pendant lamp
Ref. 64314-48-7I |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI


Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 450 3L Black/rattan pendant lamp

Ref. 64314-49-3I |FARO LAB

IP20





Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	3
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions

MAMBO 450 3L Black/rattan pendant lamp
Ref. 64314-49-3l |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 450 5L Black/rattan pendant lamp


Ref. 64314-49-5I |FARO LAB

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	5
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions



MAMBO 450 5L Black/rattan pendant lamp
Ref. 64314-49-5l |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI


Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

MAMBO 450 7L Black/rattan pendant lamp

Ref. 64314-49-7I |FARO LAB

IP20





Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	7
Light orientation	Direct
Cable length	5000 mm
Structure material	Steel
Shade material	Rattan
Structure finish	Matt Black
Shade finish	Rattan

Installation instructions

MAMBO 450 7L Black/rattan pendant lamp
Ref. 64314-49-7I |FARO LAB

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360