
# MAMBO 210 Black/rattan pendant lamp

Ref. 64314-47 |FARO LAB

IP20






| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | II |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 1500 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Matt Black |
| Shade finish | Rattan |

Installation instructions

## Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm


| | |
|---|---|
| Reference | 17463 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 8 |
| Luminous Flux (lm) | 800 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |

**MAMBO 210 Black/rattan pendant lamp**
Ref. 64314-47 |FARO LAB




# MAMBO 320 Black/rattan pendant lamp

Ref. 64314-48 |FARO LAB

IP20






| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | II |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 1500 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Matt Black |
| Shade finish | Rattan |

Installation instructions

# MAMBO 320 Black/rattan pendant lamp
Ref. 64314-48 |FARO LAB

## Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

| | |
|---|---|
| Reference | 17463 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 8 |
| Luminous Flux (lm) | 800 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |

**MAMBO 320 Black/rattan pendant lamp**
Ref. 64314-48 |FARO LAB




# MAMBO 450 Black/rattan pendant lamp

Ref. 64314-49 |FARO LAB

IP20






| | |
|---|---|
| Mounting | Ceiling |
| Voltage (V) | 100V-240V |
| Hertz | 50/60Hz |
| Class | II |
| IP | 20 |
| Power (W) | 15 |
| Light source | E27 LED |
| Bulb format | A60 |
| Number of lamp holders | 1 |
| Light orientation | Direct |
| Cable length | 1500 mm |
| Structure material | Steel |
| Shade material | Rattan |
| Structure finish | Matt Black |
| Shade finish | Rattan |

Installation instructions

## Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

| | |
|---|---|
| Reference | 17463 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 8 |
| Luminous Flux (lm) | 800 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |




Bulb A60 E27 7W 2700K TUYA WIFI

| | |
|---|---|
| Reference | 17498 |
| Voltage (V) | 220V-240V |
| Hertz | 50/60Hz |
| Power (W) | 7 |
| Luminous Flux (lm) | 806 |
| Color temperature (K) | 2700K |
| Opening angle degrees | 360 |

**MAMBO 450 Black/rattan pendant lamp**
Ref. 64314-49 |FARO LAB

