SAIGON OUT C70 Grey/beige pendant lamp cone cap


Ref. 71579c-09 |NAHTRANG

IP65



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	65
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1200 mm
Structure material	Aluminium
Shade material	PP
Diffuser material	PEMD
Structure finish	Dark Grey
Shade finish	Beige
Diffuser finish	Opal White

Installation instructions



SAIGON OUT C70 Grey/beige pendant lamp cone cap
Ref. 71579c-09 |NAHTRANG

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

SAIGON OUT C70 Grey/beige pendant lamp cone cap
Ref. 71579c-09 |NAHTRANG



SAIGON OUT C70 olive green pendant lamp cone cap


Ref. 71579c-11 |NAHTRANG

IP65



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	65
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1200 mm
Structure material	Aluminium
Shade material	PL
Diffuser material	PEMD
Structure finish	Dark Grey
Shade finish	Green
Diffuser finish	Opal White

Installation instructions



SAIGON OUT C70 olive green pendant lamp cone cap
Ref. 71579c-11 |NAHTRANG

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

SAIGON OUT C70 olive green pendant lamp cone cap
Ref. 71579c-11 |NAHTRANG



SAIGON OUT C70 ochre pendant lamp cone cap


Ref. 71579c-13 |NAHTRANG

IP65



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	65
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1200 mm
Structure material	Aluminium
Shade material	PL
Diffuser material	PEMD
Structure finish	Dark Grey
Shade finish	Ochre
Diffuser finish	Opal White

Installation instructions



SAIGON OUT C70 ochre pendant lamp cone cap
Ref. 71579c-13 |NAHTRANG

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

FARO
BARCELONA

SAIGON OUT C70 ochre pendant lamp cone cap
Ref. 71579c-13 |NAHTRANG

