

SAVOY White/white wall lamp with reader

Ref. 20302-92 |ISAAC PIÑEIRO

IP20







Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Power factor	0.43
Opening angle degrees	28
Light orientation	Direct
Tilt angles	90
Rotation angles 2	355
Power reader (W)	3
Color temperature reading light (K)	3000K
Reading light lumens (lm)	177
Reading light beam angle	24
CRI	87
Supply current	700 mA
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Matt White
Shade finish	White
Reader finish	Matt White

Installation instructions

Photometric

SAVOY White/white wall lamp with reader
Ref. 20302-92 |ISAAC PIÑEIRO

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

FARO
BARCELONA

SAVOY White/white wall lamp with reader
Ref. 20302-92 |ISAAC PIÑEIRO





SAVOY Black/black wall lamp with reader

Ref. 20303-93 |ISAAC PIÑEIRO

IP20







Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Power factor	0.43
Opening angle degrees	28
Light orientation	Direct
Tilt angles	90
Rotation angles 2	355
Power reader (W)	3
Color temperature reading light (K)	3000K
Reading light lumens (lm)	177
Reading light beam angle	24
CRI	87
Supply current	700 mA
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Matt Black
Shade finish	Black
Reader finish	Matt Black

Installation instructions

Photometric

SAVOY Black/black wall lamp with reader
Ref. 20303-93 |ISAAC PIÑEIRO

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

SAVOY Black/black wall lamp with reader
Ref. 20303-93 |ISAAC PIÑEIRO





SAVOY Black/green wall lamp with reader

Ref. 20303-94 |ISAAC PIÑEIRO

IP20







Mounting	Wall
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	II
IP	20
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Power factor	0.43
Opening angle degrees	28
Light orientation	Direct
Tilt angles	90
Rotation angles 2	355
Power reader (W)	3
Color temperature reading light (K)	3000K
Reading light lumens (lm)	177
Reading light beam angle	24
CRI	87
Supply current	700 mA
Switch type	On/Off
Structure material	Steel
Shade material	Textile
Structure finish	Matt Black
Shade finish	Green
Reader finish	Matt Black

Installation instructions

Photometric

SAVOY Black/green wall lamp with reader
Ref. 20303-94 |ISAAC PIÑEIRO

Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K 640Lm

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

SAVOY Black/green wall lamp with reader
Ref. 20303-94 |ISAAC PIÑEIRO



Document generated on 05/10/2026