FARO
BARCELONA


SVEN R White round ceiling lamp
Ref. 63268

IP20



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	8
Light source	GU10 LED
Number of lamp holders	1
Structure material	Plaster
Structure finish	Matt White

Installation instructions



FARO
BARCELONA

SVEN R White round ceiling lamp
Ref. 63268

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° white

Reference	17333
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	440
Color temperature (K)	2700K
Opening angle degrees	60



Bulb PHILIPS MASTER LEDspotMV GU10 5W 2700K 36º 350lm.

Reference	97685327
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	345
Color temperature (K)	2700K
Opening angle degrees	36



Bulb GU10 LED 7,5W 2700K 60°

Reference	17320
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	705
Color temperature (K)	2700K
Opening angle degrees	60


SVEN SQ White square ceiling lamp
Ref. 63269



IP20

Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	20
Power (W)	8
Light source	GU10 LED
Number of lamp holders	1
Structure material	Plaster
Structure finish	Matt White

Installation instructions



SVEN SQ White square ceiling lamp
Ref. 63269

Recommended bulbs



Bulb GU10 LED 5W 2700K 60° white

Reference	17333
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	5
Luminous Flux (lm)	440
Color temperature (K)	2700K
Opening angle degrees	60



Bulb PHILIPS MASTER LEDspotMV GU10 5W 2700K 36º 350lm.

Reference	97685327
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	4
Luminous Flux (lm)	345
Color temperature (K)	2700K
Opening angle degrees	36



Bulb GU10 LED 7,5W 2700K 60°

Reference	17320
Voltage (V)	100V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	705
Color temperature (K)	2700K
Opening angle degrees	60