
NÁUTICA 260 White and copper pendant lamp
Ref. 71106



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	33
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1000 mm
Structure material	Steel
Diffuser material	Glass
Structure finish	Matt white+Matt copper
Diffuser finish	Transparent

Installation instructions



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

NÁUTICA 260 White and copper pendant lamp
Ref. 71106



Bulb A60 MATE LED E27 8W 2200K CRI90


Reference	17528
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	650
Color temperature (K)	2200K
Opening angle degrees	360

NÁUTICA 260 Rust pendant lamp
Ref. 71138



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	33
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1000 mm
Structure material	Steel
Diffuser material	Glass
Structure finish	Rust brown
Diffuser finish	Transparent

Installation instructions



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

NÁUTICA 260 Rust pendant lamp
Ref. 71138



Bulb A60 MATE LED E27 8W 2200K CRI90


Reference	17528
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	650
Color temperature (K)	2200K
Opening angle degrees	360

NÁUTICA 340 Rust pendant lamp
Ref. 71139



Mounting	Ceiling
Voltage (V)	100V-240V
Hertz	50/60Hz
Class	I
IP	33
Power (W)	15
Light source	E27 LED
Bulb format	A60
Number of lamp holders	1
Light orientation	Direct
Suitable for seaside areas	No
Cable length	1000 mm
Structure material	Steel
Diffuser material	Glass
Structure finish	Rust brown+Natural
Diffuser finish	Transparent

Installation instructions



Recommended bulbs



Bulb A60 MAT LED E27 8W 2700K

Reference	17463
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	800
Color temperature (K)	2700K
Opening angle degrees	360



Bulb A60 E27 7W 2700K TUYA WIFI

Reference	17498
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	7
Luminous Flux (lm)	806
Color temperature (K)	2700K
Opening angle degrees	360

NÁUTICA 340 Rust pendant lamp
Ref. 71139



Bulb A60 MATE LED E27 8W 2200K CRI90

Reference	17528
Voltage (V)	220V-240V
Hertz	50/60Hz
Power (W)	8
Luminous Flux (lm)	650
Color temperature (K)	2200K
Opening angle degrees	360

NÁUTICA 340 Rust pendant lamp
Ref. 71139

