

GRAU

Falling Leaf

Falling Leaf ist die lichtstarke Tischbeleuchtung. Die große Linse strahlt ein blendfreies Licht großzügig über den Tisch. Falling Leaf ist aus hochwertigem Aluminium gefertigt.



Falling Leaf bietet eine Reihe von cleveren Funktionen:

- Warm Dim
- Optische Linse zur Entblendung
- Powder Skin Oberfläche


Warm Dim passt sich die Lichtfarbe beim Dimmen automatisch an. Dimme das Licht per Drehdimmer oder GRAU App.

Designed und gefertigt am GRAU Campus in Deutschland.

Farben

| Farben | Artikelnummer |
|----------------------------------------------------------------------------------------------|---------------|
|  Sand White | FLU1-310-05 |
|  Black | FLU1-310-00 |
| Polished/White | DL00-1 |
| Polished/Black | DL00-0 |

Dimensionen



Body

| | |
|------------------------------|--------------------|
| Pendellänge | 2m |
| Einbautiefe | 60mm |
| Einbaudurchmesser | 68mm |
| Maße Verpackung (L x B x H) | 57cm x 30cm x 21cm |
| Material | Aluminium |
| Oberfläche | Poliert |
| Gewicht | 1,7kg |
| Gewicht inkl. Verpackung | 2,4kg |
| Montageart | Deckeneinbau |
| Nennspannung | 220–240V |
| Leistungsaufnahme | 16W |
| Leuchteneffizienz | 88lm/W |
| Anschlussleitung (Ader-Zahl) | 2 |
| Schutzklasse | II |
| Artikelnummer | DL01-0 |

Licht

| | |
|---------------------------|-----------------|
| Leuchtmittel | LED |
| Leuchtenlichtstrom | 1400lm |
| Farbwiedergabeindex | CRI >90 |
| Lichtaustritt | Direkt |
| Abstrahlwinkel | 104° |
| Lichtverteilung | Symmetrisch |
| Farbtemperatur | 2700–2200K |
| Lichtfarbe | Warmweiß |
| Dimmbar | Ja |
| Art der Dimmung | Phasenabschnitt |
| Warm Dim | Ja |
| GRAU App Upgrades möglich | Ja |
| Umbau auf DALI möglich | Ja |

GRAU

Falling Leaf

Falling Leaf is the powerful table lighting. Its large lens shines a glare-free light generously across the table. Falling Leaf is made of high-quality aluminum.

Falling Leaf offers a range of clever functions:

- Warm Dim
- Optical lens for glare control
- Powder Skin surface


Warm Dim automatically adjusts the light color when dimming. Dim the light using a rotary dimmer or the GRAU app.

Designed and manufactured at the GRAU Campus in Germany.

Colors

| Colors | SKU |
|----------------------------------------------------------------------------------------------|-------------|
|  Sand White | FLU1-310-05 |
|  Black | FLU1-310-00 |
| Polished/White | DL00-1 |
| Polished/Black | DL00-0 |

Dimensions



Body

| | |
|------------------------------------|----------------------------|
| Pendant length | 2m |
| Mounting depth | 60mm |
| Mounting diameter | 68mm |
| Packaging dimensions (L x W x H) | 57cm x 30cm x 21cm |
| Material | Aluminum |
| Surface | Polished |
| Weight | 1,7kg |
| Weight incl. packaging | 2,4kg |
| Mounting type | Ceiling-mounted (recessed) |
| Rated voltage | 220–240V |
| Power consumption | 16W |
| Luminaire efficiency | 88lm/W |
| Connection cable (number of cores) | 2 |
| Protection class | II |
| SKU | DL01-0 |

Light

| | |
|-----------------------------|---------------|
| Light source | LED |
| Luminous flux | 1400lm |
| Color rendering index | CRI >90 |
| Light emission | Direct |
| Beam angle | 104° |
| Light distribution | Symmetric |
| Color temperature | 2700–2200K |
| Light color | Warm White |
| Dimmable | Yes |
| Type of dimming | Trailing edge |
| Warm Dim | Yes |
| GRAU App upgrades possible | Yes |
| Conversion to DALI possible | Yes |