

Falling Sun Trace






Falling Sun Trace ist die elegante Tischbeleuchtung. Die optische Linse lenkt das Licht blendfrei und lichtstark 360° auf den Tisch. Preisgekröntes Design, feinste Finishes und brillante Lichtstimmung – made in Germany.

Sunset Dimming unterstützt deinen Bio-Rhythmus und hat einen gesundheitsfördernden Effekt. Dimme das Licht per GRAU App und konfiguriere Lichtszenen. Integrierte Strahler beleuchten Wände, Bilder oder Objekte im Raum, ohne weitere Strompunkte setzen zu müssen.


Ausgezeichnet mit zahlreichen Designpreisen.

Designed und gefertigt am GRAU Campus in Deutschland.

Farben

Farben	Artikelnummer
 Sand White	FAT2-330-05
 White	FAT2-330-01
 Black	FAT2-330-00
 Polished	FAT2-330-99
 Sun Orange	FAT2-330-08

Dimensionen



Body

Pendellänge	2m
Material	Aluminium
Oberfläche	Pulverbeschichtet
Gewicht	7kg
Gewicht inkl. Verpackung	8kg
Montageart	Deckenaufbau
Nennspannung	220–240V
Leistungsaufnahme	4x14W + 3x11W
Leuchteneffizienz	61lm/W + 32lm/W
Anschlussleitung (Ader-Zahl)	3
Schutzklasse	I
Artikelnummer	FAT2-370-05

Licht

Leuchtmittel	LED
Leuchtenlichtstrom	4x 850lm x 3x 350lm
Farbwiedergabeindex	CRI >90
Lichtaustritt	Direkt
Abstrahlwinkel	54° + 60°
Lichtverteilung	Symmetrisch
Farbtemperatur	2700–1300K + 2700–2200K
Lichtfarbe	Warmweiß
Dimmbar	Ja
Art der Dimmung	Phasenabschnitt
GRAU App Upgrades möglich	Ja
Sunset Dimming	Ja

GRAU

Falling Sun Trace

Falling Sun Trace is the elegant table lighting. The optical lens directs the light glare-free and brightly onto the table 360°. Award-winning design, the finest finishes and brilliant mood lighting – made in Germany.


Sunset Dimming supports your biological rhythm and has a health-promoting effect. Dim the light via the GRAU app and configure light scenes. Integrated spotlights illuminate walls, pictures or objects in the room without having to set additional power points.

Winner of numerous design awards.

Designed and manufactured at the GRAU Campus in Germany.

Colors	Colors	SKU
	<div></div> Sand White	FAT2-330-05
	<div></div> White	FAT2-330-01
	<div></div> Black	FAT2-330-00
	<div></div> Polished	FAT2-330-99
	<div></div> Sun Orange	FAT2-330-08

Dimensions



Body

Pendant length	2m
Material	Aluminum
Surface	Powder-coated
Weight	7kg
Weight incl. packaging	8kg
Mounting type	Ceiling-mounted (surface)
Rated voltage	220–240V
Power consumption	4x14W + 3x11W
Luminaire efficiency	61lm/W + 32lm/W
Connection cable (number of cores)	3
Protection class	I
SKU	FAT2-370-05

Light

Light source	LED
Luminous flux	4x 850lm x 3x 350lm
Color rendering index	CRI >90
Light emission	Direct
Beam angle	54° + 60°
Light distribution	Symmetric
Color temperature	2700–1300K + 2700–2200K
Light color	Warm White
Dimmable	Yes
Type of dimming	Trailing edge
GRAU App upgrades possible	Yes
Sunset Dimming	Yes