

## Oh China Trace

Oh China Trace ist der Designklassiker mit wunderschönem Glow. Die Pendelleuchte für den Tisch aus feinem Porzellan kombiniert ein 360° Ambient Licht mit einem präzisen Spotlicht auf dem Tisch.

Stelle die gewünschte Pendelhöhe am Kabel flexibel ein. Oh China kann optional per GRAU App gedimmt werden. Oh China wird geliebt für ihre harmonische Form und Lichtstimmung.

Oh China ist mit internationalen Designpreisen ausgezeichnet.

Designed und gefertigt am GRAU Campus in Deutschland.

---

### Farben

Farben

● White

● Polished


Artikelnummer

COC13-3

COC13-8

---

### Dimensionen



## Body

Pendellänge	2m
Material des Leuchtschirms	Bone-China Porzellan
Oberfläche	Glasiert
Gewicht	2,67kg
Gewicht inkl. Verpackung	6,17kg
Höhenverstellbar	Ja
Montageart	Deckenaufbau
Nennspannung	220–240V
Leistungsaufnahme	3x11W
Leuchteneffizienz	45lm/W
Anschlussleitung (Ader-Zahl)	3
Schutzklasse	I
Artikelnummer	OCT1-220-01

---

## Licht

Leuchtmittel	LED
Leuchtenlichtstrom	3x 500lm
Farbwiedergabeindex	CRI >90
Lichtaustritt	Direkt
Abstrahlwinkel	23°
Lichtverteilung	Symmetrisch
Farbtemperatur	2700K
Dimmbar	Ja
Art der Dimmung	Phasenabschnitt
Umbau auf DALI möglich	Ja

## Oh China Trace

Oh China Trace is the design classic with a beautiful glow. The pendant lamp for the table made of fine porcelain combines a 360° ambient light with a precise spotlight on the table.

Flexibly adjust the desired pendant height on the cable. Oh China can optionally be dimmed via the GRAU app. Oh China is loved for its harmonious shape and lighting mood.


Winner of numerous design awards.

Designed and manufactured at the GRAU Campus in Germany.

### Colors

Colors	SKU
● White	COC13-3
● Polished	COC13-8

### Dimensions



## Body

Pendant length	2m
Material of luminaire shade	Bone-China Porcelain
Surface	Glazed
Weight	2,67kg
Weight incl. packaging	6,17kg
Height adjustable	Yes
Mounting type	Ceiling-mounted (surface)
Rated voltage	220–240V
Power consumption	3x11W
Luminaire efficiency	45lm/W
Connection cable (number of cores)	3
Protection class	I
SKU	OCT1-220-01

---

## Light

Light source	LED
Luminous flux	3x 500lm
Color rendering index	CRI >90
Light emission	Direct
Beam angle	23°
Light distribution	Symmetric
Color temperature	2700K
Dimmable	Yes
Type of dimming	Trailing edge
Conversion to DALI possible	Yes