

GRAU

Set

Set setzt präzise Akzente auf Bilder, Oberflächen und Objekte. Der LED-Spot mit seiner ausgewogenen Form aus Aluminium ist dreh- und schwenkbar und hochwertig im Design.

Set bietet eine Reihe von cleveren Funktionen:

- Dreh- und schwenkbarer Kopf
- Warm Dim
- GRAU App

Designed und gefertigt am GRAU Campus in Deutschland.

Farben

Farben

Artikelnummer

● Black

SE00-2

● White

SE00-3

● Polished

SE00-0

Dimensionen

Fixture
Ø 8,5 cm × H 0,7 cm



Head
Ø 6 cm × H 9,1 cm

Body

Einbautiefe	60mm
Einbaudurchmesser	68mm
Maße Verpackung (L x B x H)	22cm x 24cm x 20cm
Material	Aluminium / Kunststoff
Oberfläche	Pulverbeschichtet
Gewicht	0,7kg
Gewicht inkl. Verpackung	1kg
Leuchtenkopf beweglich	Ja
Montageart	Deckeneinbau
Nennspannung	220–240V
Leistungsaufnahme	11W
Leuchteneffizienz	32lm/W
Anschlussleitung (Ader-Zahl)	2
Schutzklasse	II
Artikelnummer	SE01-3

Licht

Leuchtmittel	LED
Leuchtenlichtstrom	350lm
Farbwiedergabeindex	CRI >90
Lichtaustritt	Direkt
Abstrahlwinkel	60°
Lichtverteilung	Symmetrisch
Farbtemperatur	2700–2200K
Lichtfarbe	Warmweiß
Dimmbar	Ja
Art der Dimmung	Phasenabschnitt
Warm Dim	Ja
GRAU App Upgrades möglich	Ja
Umbau auf DALI möglich	Ja

GRAU

Set

Set sets precise accents on pictures, surfaces and objects. Its balanced shape made of aluminum can be rotated and has a high-quality design.

Set offers a range of clever functions:

- Rotating head
- Warm Dim
- GRAU App

Designed and manufactured at the GRAU Campus in Germany.

Colors

Colors	SKU
<div><div></div>Black</div>	SE00-2
<div><div></div>White</div>	SE00-3
<div><div></div>Polished</div>	SE00-0

Dimensions

Fixture
ø 8,5 cm × H0,7 cm



Head
ø 6 cm × H9,1 cm

Body

Mounting depth	60mm
Mounting diameter	68mm
Packaging dimensions (L x W x H)	22cm x 24cm x 20cm
Material	Aluminum / Synthetic
Surface	Powder-coated
Weight	0,7kg
Weight incl. packaging	1kg
Movable lamp head	Yes
Mounting type	Ceiling-mounted (recessed)
Rated voltage	220–240V
Power consumption	11W
Luminaire efficiency	32lm/W
Connection cable (number of cores)	2
Protection class	II
SKU	SE01-3

Light

Light source	LED
Luminous flux	350lm
Color rendering index	CRI >90
Light emission	Direct
Beam angle	60°
Light distribution	Symmetric
Color temperature	2700–2200K
Light color	Warm White
Dimmable	Yes
Type of dimming	Trailing edge
Warm Dim	Yes
GRAU App upgrades possible	Yes
Conversion to DALI possible	Yes