

# GRAU

## Studio Trace Trio

---

| Farben | Farben         | Artikelnummer |
|--------|----------------|---------------|
|        | Polished/Black | SP50-8        |
|        | Polished/White | SP50-1        |

# GRAU

## Body

|                              |              |
|------------------------------|--------------|
| Material                     | Aluminium    |
| Oberfläche                   | Poliert      |
| Gewicht                      | 3kg          |
| Gewicht inkl. Verpackung     | 4kg          |
| Leuchtenkopf beweglich       | Ja           |
| Montageart                   | Deckenaufbau |
| Nennspannung                 | 220–240V     |
| Leistungsaufnahme            | 3x16W        |
| Leuchteneffizienz            | 53lm/W       |
| Anschlussleitung (Ader-Zahl) | 3            |
| Schutzklasse                 | I            |
| Artikelnummer                | SP50-9       |

---

## Licht

|                           |                 |
|---------------------------|-----------------|
| Leuchtmittel              | LED             |
| Leuchtenlichtstrom        | 3x 845lm        |
| Farbwiedergabeindex       | CRI >80         |
| Lichtaustritt             | Direkt          |
| Abstrahlwinkel            | 41°             |
| Lichtverteilung           | Symmetrisch     |
| Farbtemperatur            | 3500K           |
| Lichtfarbe                | Neutralweiß     |
| Dimmbar                   | Ja              |
| Art der Dimmung           | Phasenabschnitt |
| GRAU App Upgrades möglich | Ja              |
| Umbau auf DALI möglich    | Ja              |

# GRAU

## Studio Trace Trio

---

| Colors | Colors         | SKU    |
|--------|----------------|--------|
|        | Polished/Black | SP50-8 |
|        | Polished/White | SP50-1 |

# GRAU

|       |                                    |                           |
|-------|------------------------------------|---------------------------|
| Body  | Material                           | Aluminum                  |
|       | Surface                            | Polished                  |
|       | Weight                             | 3kg                       |
|       | Weight incl. packaging             | 4kg                       |
|       | Movable lamp head                  | Yes                       |
|       | Mounting type                      | Ceiling-mounted (surface) |
|       | Rated voltage                      | 220–240V                  |
|       | Power consumption                  | 3x16W                     |
|       | Luminaire efficiency               | 53lm/W                    |
|       | Connection cable (number of cores) | 3                         |
|       | Protection class                   | I                         |
|       | SKU                                | SP50-9                    |
|       |                                    |                           |
| Light | Light source                       | LED                       |
|       | Luminous flux                      | 3x 845lm                  |
|       | Color rendering index              | CRI >80                   |
|       | Light emission                     | Direct                    |
|       | Beam angle                         | 41°                       |
|       | Light distribution                 | Symmetric                 |
|       | Color temperature                  | 3500K                     |
|       | Light color                        | Neutral White             |
|       | Dimmable                           | Yes                       |
|       | Type of dimming                    | Trailing edge             |
|       | GRAU App upgrades possible         | Yes                       |
|       | Conversion to DALI possible        | Yes                       |
|       |                                    |                           |