

DATASHEET

Type: **IVY WALL**
Name: Pendant light
ID: PC1223
Designed by: Lucie Koldová



Download

Description

Nature and its life-giving beauty and strength serve as the model for a unique lighting concept called IVY. Just as the plant grows and climbs up the walls of a house, creating multiple images.

Tech. description

The main part of the light comprises a dural frame and glass shades over G4 fixtures. A rod connects the frame directly to the canopy, which houses the electronics. A touch dimmer is integrated into one side of the frame.




Available colour options: <https://mbapi.cz/red/pis/eu/en/pc1223>

CONSTRUCTION SPECIFICATION

Weight: 4.9 kg
Construction material: glass, metal
Cord length [mm]: -
Mounting: Wall
Environment: Indoor

DIMENSIONS [mm]



ELECTRICAL SPECIFICATION

Input voltage [V]: 100 - 240 V
Frequency [Hz]: 50-60 Hz
Max. power [W]: 8 x 2 W LED
Coverage IP: 20
Socket: G4, 12V
Light source: -
Energy class: A+ to B depending on light source

CERTIFICATIONS



BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2020_09
PAGE 1

DATASHEET

RECOMMENDED BULBS



Download



**CM6200 G4 LED 2700K 1,2W 100lm
12VDC HEMAK**

| | |
|-----------------------|--------------|
| Socket | G4 |
| Type | LED |
| Lamp wattage [W] | 1.2 W |
| Input voltage [V] | 12 VDC |
| Flux [lm] | 91 lm |
| Light colour [K] | 2700 K |
| CRI | 90+ |
| Lifespan [h] | 20000h |
| Dimmable | yes |
| Dimensions h x w [mm] | 10 x 28,4 mm |



BROKIS S.R.O.
ŠPANIELOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE


TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ

2020_09
PAGE 2




INNER FIXTURE

Dimensions l x w x h [mm] 145,5 x 124 x 40 mm
Weight [kg] 0,4 kg
Material metal



Drawing



Hole placement

